

• Bonus

1. The process by which the female genital organs are orally stimulated by the application of the tongue to the clitoris and labia.
2. The application of the lips and tongue on the penis.

1. Cunnilingus 2. Fellatio

- Sexual variations involving disordered personalities are aggressive and assaultive and constitute offenses against others. Behaviours that fall under this classification are generally disapproved by the society and are subject to legal penalties.

Sexual variation involving disordered personality

- Form of sexual behavior wherein an adult obtains sexual gratification by exposing his genital organs to women or children. This is often done in public places.

Exhibitionism

- This is the practice of having sexual satisfaction by viewing the sex acts performed by other people desiring coitus. This may be viewing a naked woman or watching others doing the sexual act. Usually they do the act in private with the victim not knowing that he/she is being watched.

Voyeurism

- The achievement of sexual satisfaction by inflicting physical pain and suffering on the recipient. This may be in the form of beating, slapping, whipping, biting, burning etc. These actions are necessary to have an orgasm.

Sadism

- The submission to pain and humiliation in order to have sexual satisfaction. It is usually associated with a guilt complex and the desire to be punished for a sexual misbehaviour.

Masochism

•This is the act of anal intercourse usually done between homosexuals, though it may also occur in heterosexual relations.

Sodomy

•Bonus:
Anal intercourse between an adult and a child

Pederasty

•Refers to the exaggerated and compulsive sexual activity of a female. This results from abnormally excessive desire or craving on the part of the individual to manifest her femininity.

•Bonus: what is the term for the males?

Nymphomania and Satyriasis

•In this condition, sexual satisfaction is obtained from an inanimate object or a certain part of the body which is not usually considered as sexually stimulating.

Fetishism

•It refers to sexual intercourse between closely related persons who are prohibited by law from marrying. This is the only sexual offense which is condemned universally in all societies.

incest

•In this case, the sexual object is a child, usually below 12 years of age, immature and unprepared for sexual relations physically, mentally and emotionally.

Paedophilia/Pedophilia

- The practice of engaging sexual relations with animals. This may include masturbation, oral sex or even actual coitus or anal penetration.
- For two points give the two terms for it.

Bestiality/Zoophilia

- Refers to an erotic interest in and the use of a dead body to obtain sexual satisfaction. This may involve erotic stimulation in the presence of or by simply viewing a dead body. They may also be a desire for sexual contact including coitus.
- Get two points if you will give the two terms for it.

Necrophilia/Vampirism

- This occurs when homosexuals, both male or female, dress in clothing of the opposite sex in order to identify themselves or to assign preferred roles in homosexual activity.

Transvestism

- This is the condition in which a person, usually a male wants to be changed into a person of the opposite sex. This condition may involve sex-change surgery supplemented with hormonal therapy. Such transformation is more difficult for females.

Transsexualism

- In this crime an individual is forced by the use of threat or violence to submit to sexual intercourse without his/her consent or against their will.
- Bonus: give the term in which a man and a girl below the age of consent.

Rape and statutory rape.

- Variations that fall in this classification involve the development of a social structure.

Sexual variation involving Social structure.

- This form of behavior which aims to promote general health and well-being by not wearing clothes. It emphasize its democratizing influence by eliminating distinctions or barriers between social classes which they say are often symbolized by clothes.

Nudism/nudity

- This is the type of sexual behavior in which there is a sexual attraction between individual of the same sex. In this relationship, one party assumes the active, dominant, or "male" role and the other, the passive, receptive, or "female" role.

Homosexuality

- Providing indiscriminate sexual service in exchange for a monetary compensation. This may be carried out as an individual activity or it may involve a socialized structure.

Prostitution


Birth Control Methods

Natural and Artificial Methods

Natural Family Planning Methods

- Natural family planning methods are based on abstinence from sexual intercourse on days when fertility is possible.
- Effectiveness depends on the user's motivation and accurately predicting the times of women's ovulation.

Rhythm/Calendar Method



- This method is figuring out the fertile period of the woman by keeping track the menstrual cycle of the woman.
- Dr. Kyusaku Ogino and Dr. Hermann Knauss were the ones who did the formula.

Rhythm/Calendar Method

- The woman must 1st keep track her menstrual cycle for 1 year before she can use this method
- It is 76% effective
- Woman with irregular menstrual cycle cannot practice this.

Rhythm/Calendar Method

- The 1st day of menstruation is counted as day1.
- Counting until the day of before the next menstruation will give the length of a cycle.
- Subtracting 18 on the shortest cycle gives the first unsafe day. Subtracting 11 from the longest gives the last unsafe day.

Basal body temperature



- A special type of thermometer which is the basal body thermometer is needed to get the slight changes in the woman's body temperature.
- The thermometer that only covers 36.2°-37.2° Celsius.

Basal body temperature

- At about the time the egg is released, the body temperature drops slightly. A day or two later, it rises above normal about 0.3° Celsius. It stays at this level until just about the next menstruation.
- Once the temperature rises, and the higher temp has been recorded for three days, the woman can be sure that the egg has broken apart and unsafe period is over.

Billings method/ cervical mucus method



- It is based on the fact that wet days are fertile days and dry days are safe days.
- The woman gets a small amount of cervical mucus from inside her body and places it between her thumb and index fingers.

Billings method/ cervical mucus method



- If the mucus is watery then the woman is fertile.
- When the mucus is sticky and it breaks then the woman is not fertile and it is safe to have intercourse.

Withdrawal method/ coitus interruptus

- The man withdraws the penis from the vagina when he feels that ejaculation is imminent.
- The man has to be alert to the first signs of orgasm and has to be prepared to terminate the intercourse abruptly.
- It is 65-80% effective.

Cycle Beads



- A color coded strings of beads that represent the woman's menstrual cycle.
- Fit for woman with a menstrual cycle of 26-32 days.
- Each bead represent a day of her menstrual cycle.

Cycle Beads

- The day the woman starts her period she will put the ring in the red bead. Each day she should move the ring on one bead. When the ring is on the red or dark bead there is a very low chance to get pregnant.
- But when the ring is on the white bead (day 8-19) there is a great chance the woman can get pregnant.

Lactational Amenorrhea



- This is known as LAM.
- Here breastfeeding is used to extend the infertile period after pregnancy.
- Only woman who recently gave birth can use this method.
- This method is only effective until the baby is six month old provided that the mother has not menstruated yet.


Abstinence

- This is the most basic control because the couple does not engage in any sexual contact unless pregnancy is intended.
- 100% effective.

Artificial Methods

- These methods makes use of some devices or chemicals that alter the response of conception.
- This is not recommended by the church.

Intrauterine devices



- A tiny metal or plastic loops or coils that are placed in the uterus or womb to prevent conception.
- It is 95-99% effective and it could last 3-5 years.
- The physician is the only person authorize to the insertion.

Intrauterine devices




- It works in two ways: first it helps to mislead the sperm.
- Second, it interferes with the implantation of the egg by preventing uterine lining from maturing.
- Side effects are: backache, certain amount of bleeding, menstrual cramps, headache, irregular menstrual flow.
- Pelvic and puncture of the uterus wall are rare but a potential risk.

Condom



- It is a synthetic rubber sheath worn tightly over the penis during intercourse.
- Condom are inexpensive, easy to use, do not require medical supervision and have no known side effects.

Condom



Prevent the spread of STI/STD. Try to avoid touching outside to hole of penis.



PADAM

- It is the most commonly used contraceptive worldwide.
- It may help in preventing the spread of STI/STD.
- 84-97% effective.

Female condom




Female condom blocks sperm from entering cervix.



PADAM

- More expensive than a male condom.
- Less effective than male condom.

Diaphragms



- It is a synthetic, shallow, rubber cups that cover the cervix; ranging from 2-4 inches in diameter.
- It is use together with a spermicidal that immobilize any sperm that may seep around the edges of the diaphragm.

Diaphragms



ESTIMATED: The diaphragm has an average success rate of 92-96% when used correctly.

- It should be inserted an hour or two before intercourse and has to remain in place for 6-8 hours after intercourse.
- 86-98% effective.

Cervical cap



Cervical Cap

- Works just like the diaphragm.
- It should be used with a spermicidal cream

Sponge/Foam



ESTIMATED: The sponge has an average success rate of 91-96% when used correctly.


- Works just like a diaphragm but it is made of a small donut shaped sponge.

Dental dams



- These are six-inch squares of latex placed over the vulva and the vagina and mainly intended for cunnilingus.
- It can be substituted for female condom.


Vaginal ring



Vaginal Ring

- A thin transparent, flexible ring that is inserted in the vagina for 3 weeks.
- It slowly releases estrogen and progestin hormones
- 92-99% effective

Pills



- Pills are oral contraceptives that work by altering a woman's normal hormonal pattern so that ovulation does not occur.
- Most pills contain synthetic estrogen and progesterone.

Pills

- If taken properly it can be 97-100% effective.
- Side effects are migraine, irritability and accumulation of water, thus gaining weight.
- Not all women may take the pill, women below 20 and above 35, those with cardiovascular diseases, diabetes, and spotting between periods should not take the pill

Norplant system




- This are devices that consist of 6 match stick size capsules surgically implanted on the woman's arm.
- Same effect as the birth control pills.
- Last for 5 yrs.
- It was taken off the market in July 2002

Injectable



- Injection of synthetic hormone *medroxyprogesterone* which prevent ovulation, and thus pregnancy for about three months.

Hormonal patch




- 2x2 patch that looks like a Band-Aid.
- That is worn on the skin and needs to be replaced every week.
- it works just like a birth control pill.

Morning after pill




- Pill that would be taken after intercourse to prevent conception.

Tubal ligation



- An operation is done on the woman to cut her fallopian tubes so that the egg cannot reach the womb.
- The women will still menstruate even going through such operation.
- Only those who are 35 years old with three children and with the consent of husband is permitted to undergo operation.

Vasectomy



- Surgical procedure for men in which the sperm ducts, or the vas deference are blocked in order to prevent the sperm from mixing with the seminal fluid.

